



SNDT WOMEN'S UNIVERSITY
1, Nathibai Thackersey Road, Churchgate, MUMBAI 400 020

Estate Dept./2020-21/ (Not. 2)/58

December 09, 2020

Sub: Quotation for Structural strengthening work and painting work of entrance lobby, Laboratory, and Ext. Side of Toilet at Ground floor in C.U. Shah building at SNDT Women's University, Juhu Campus.

Madam/Sir,

Sealed quotations are invited for Structural strengthening work and painting work of entrance lobby, Laboratory, and Ext. Side of Toilet at Ground floor in C.U. Shah building at SNDT Women's University, Juhu Campus Interested authorized vendors are supposed to submit their quote along with their details profile in the format given in Annexure A on company letter head. Quotation should be submitted to The Office of The Registrar at Churchgate campus on or before 21st December 2020. Contractor should submit their

- i) GST No.
- ii) PAN no.
- iii) Client List,
- iv) Company profile,
- v) Last 3 years audited profit lost statement along with Quotation.

Quotation should be submitted in closed envelop and on top write the subject.

The University reserves the right to reject any or all quotations without assigning any reasons thereof.

**D r. Deepak Deshpande
Registrar**

(Offer should filled on letter head)

Annexure A

To,

The Registrar
SNDT Women's University,
Churchgate, Mumbai

Sub: Quotation Structural strengthening work and painting work of entrance lobby, Laboratory, and Ext. Side of Toilet at Ground floor in C.U. Shah building at SNDT Women's University, Juhu Campus.

Respected Madam/Sir,

With reference to subject cited above we would like to furnish our quote with best rate possible as below:

Sr. No.	Description of Item	Qty	Unit	Rate	Amount
01	Breaking Chipping carefully the loose concrete/plaster of distressed member without damaging existing strong concrete by means of sharp chissle which should tempered regularly or high frequency low impact hammers used, cleaning the surface by water jet pressure pump at 4 to 5 kg/sqcm pressure to remove chlorides and loose particles, air drying the surface etc. The work should be carried out with all the safety measures like helmet, safety belt and adequate labour insurance under the supervision of qualified supervisor.	70.75	Sqm.		
02	Removing the existing cement plaster of any thickness without causing dust nuisance and stacking the debris up to distance of 50metres or spreading in the compound and cleaning the site etc. complete	92.00	Sqm.		
03	Removing and corrosion of steel reinforcement by mechanical means like wire brushing , chipping to removing loose rust and then applying rust removal solution by using brush application, leaving the surface for at east 15 to 30 minutes, then removing loose materials by scrubbing or with brush and applying polymer bond to the old concrete surface before applying polymer mortar.	70.75	Sqm.		
04	Providing and applying of bond coat approved epoxy resin MasterBrace 1414of BASF/FPI Bond of Krishna Conchem/ or equivalent before polymer plaster/concrete to have the perfect bond between old concrete and new concrete/polymer plaster surface within half an hour of after application of bond coat conforming to ASTMC 881 Type 2, using nylon brushes scaffolding labour etc. complete.	70.75	Sqm.		
05	Providing and applying Ready Mix Polymer modified	70.75	Sqm.		

	cement mortar of average thickness 15mm using polymer in one or more layers in proportion 1:5:15 of Polymer Cement Quartz Sand as manufacture's specification in specific layers, curing the surface after 72 hours of application with wet gunny bags etc. complete.			
06	Providing and applying gypsum plaster (with Gypsum material of Gypsum India/ Mega Signor equivalent make) with finishing with gypsum material in 10 to 13 millimeter thickness to previously plastered surface/or on newly brick surface (Excluding rough cast plaster) in all position including preparing and Finishing the surface scaffolding etc. complete.	92.00	Sqm.	
07	Scraping the old plastered internal surface with sand paper and coating the entire surface with mixture of whiting or glue and linseed oil including scaffolding etc. complete as directed.	257.50	Sqm.	
08	Providing and applying priming coat on concrete/masonry/Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and sand papering as required etc. complete.	257.50	Sqm.	
09	Providing and applying plastic emulsion paint of approved quality , colour and shade to new surface in three coats including scaffolding, preparing the surface. (excluding primer coat)etc. complete.	257.50	Sqm.	

All the terms and conditions given in notifications are studied thoroughly and accepted fully.

Thanking You,

Yours Faithfully,

Name of Company

Signature of the Proprietor

Date:

Note: Enclose GST number, PAN number, declaration if GST is not applicable.