1, Nathibai Thackersey Road, Mumbai 400 020

Phone: +91 22 2203 1879 Fax: +91 22 2201 8226 Estb: 7976

श्रीमती ना. दा. ठाकरसी विद्यापीठ

9, नाथीबाई ठाकरसी मार्ग मुंबई ४०० ०२०

Telegram: UNIWOMEN Website: sndt.ac.in

December 03, 2021

Estate Dept./2021-22 /179

SUB: Quotation for and Repairs to common toilet block for Ladies / Gents, Extension of Compound wall from main gate to Guest house bldg. And P.C.C. Work for Students Parking back side area at SNDT Women's University, Pune Campus.

Madam/Sir,

Sealed Quotation are invited for Repairs to common toilet block for Ladies / Gents, Extension of Compound wall from main gate to Guest house bldg. And P.C.C. Work for Students Parking back side area at SNDT Women's University, Pune Campus. Interested authorized vendors are supposed to submit their quote along with their detail profile in the format given in "Annexure A" on their company letter head. Quotation should be submitted to the office of "The Registrar" at Churchgate campus on or before 10th December 2021 Contractor should submit their quotes in **two envelopes** enclosed in single envelope along with Technical bid envelope, Financial bid envelope. Subject should be mentioned on each envelop.

Envelop may contains following documents in respective envelop:

a) Technical Bid

- I. Profile of the vendor
- II. Work Experience Certificate (not only the client list)
- III. Registration Certificate
- IV. GST Certificate
- V. PAN Copy
- VI. If GST is not applicable then declaration of the same.
- VII. If any work which requires specific expertise/ technical specifications then the same should be mentioned.

b) Financial Bid

- I. Mentioning including all taxes
- II. required component wise then format to be given component wise

Quotation should be submitted in closed envelop and on top write the subject. As mentioned in the notification

The University reserves the right to reject any or all quotations without assigning any reasons thereof.

(Dr. Subhash Waghmare) Registrar (Addl.Charge)

A December 1 and 1



officensi Communication to the transition of the communication of the co

Descender 13, v021

Estate 1 apt./2021-22/179

SDB: Quotation for and Remains to common toiler block for Ladies / Gents, Extension of Compound wall from main have to Suest to use bidg. And P.C.C. Work for Students Parking mark side area at \$6.07 Workers's University, Pane Campus.

Tie mabel

Sealed Quotations an invited for Shippins to common chilet block for Ladies y Gents. Extension of Compound wall from main year to Guest house blag, And R.C.C. Work for Students Parking backside attended at SWIT Women's University, Pure Campus Interested antibologic vanders not supposed to submit their quote sing within their datall großle in the formal given in "Annexure A" on their company letter head. Quotation should be submitted to tile office of The Registrar at Chieroberite carigus an or before 10th December, 2021 Communion should submit their quotes in two cavelopes enclosed in single cavelope along with Technical but envelope.

Timanolal but envelope. Subject Should be in-museed on each envelop.

Rawillop may anabing fallowing docardems acrespontive envelope

hall (spirithed) for

- 7,
- 11 Mily de Pierra de la la Contribent de la la contribe
 - It is a street of the color of the color of the color
 - selen Hutva T 1773 k
 - maralli MXX
- If USP is not evaluable then decimation of the same
- U žitý votik vákola co otřes specuje ospadlení bachnical specificála costil na diena.

hill bringworth fel-

- the contribution of the contribution of the contribution of
- luaruquica navig ed at leimet aeni este tranuquica hatinper :
 - 92 VV

the obstront should be submitted or unund exhibit or top water the integral. As much order to provide the integral As much order.

The Laiversity reserves the right to reject upy or all galaptics, without

March

Dr. Subject Maghmare;

1, Nathibai Thackersey Road,

Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग मुंबई ४०० ०२०

Telegram: UNIWOMEN sndt.ac.in

(Offer Should filled on letter head)

Annexure A

To, The Registrar SNDT Women's University Churchgate, Mumbai

Sub: Proposal for Administrative Approval for Repairs to common toilet block for Ladies / Gents, Extension of Compound wall from main gate to Guest house bldg. And P.C.C. Work for Students Parking back side area at SNDT Women's University, Pune Campus.

Respected Madam/Sir,

With reference to subject cited above we would like to furnish our quote with best rate possible as below:

Sr. No.	Description of Item	Qty	Unit	Rate	Amount
1	Removing cement tiles, or marble or polished Shahabad floor or dado without bed concrete including stacking the materials as directed with all leads, lifts etc. complete	62.00	Sqm.	gellesed gellesed to all be	P
2	Removing the existing cement plaster of any thickness without causing dust nuisance and stacking the debris upto a distance of 50 metres or spreading in the compound and cleaning the site etc. complete.	52.00	Sqm	Tellipse old albod so gallov on mue ros gallono	
3	Removing doors and windows with frames and stacking the materials as directed with all leads, lifts etc. complete.	6.00	No.	r godin és Holonti nu di godzas	03.
4	Removing urinal pans or wash hand basins with frame including disconnecting the sanitary and water supply connections, removing the same carefully and stacking the serviceable materials as and where directed including throwing the unserviceable materials outside etc complete	3.00	No	rator and ents of Ni eccentine covidence S one to	
5	Labour charges for removing old chainlink, G.I. Wire and m.s. Angle etc. Complete	12.00	No	(2) 4 0 m/() (017 9) (file)	
6	Excavation for foundation in earth, soils of all types, sand,gravel and soft murum, including removing the excavated material upto a distance of 50 meters beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift from 1.5m to 3.0m) By Manual Means	45.00	Cum.	Caralgaic Caralgaich Caralgaich Ann (A-Da Annagaich Macalgaich Mac	

1, Nathibai Thackersey Road,

Mumbai 400 020

Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग

मुंबई ४०० ०२०

Telegram: UNIWOMEN Website: sndt.ac.in

cement concrete in M15 of trap/ granite/quartzite/gneiss metal for steps including steel centering, plywood/steel formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing etc. complete. The Cement Mortar 1:3 plaster is considered for rendering uneven and honeycombed surface, only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.), with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With natural sand/V.S.I. quality Artificial Sand 8 Providing and fixing orissa type colour glazed earthenware 625 x 450 mm. w.c. pan including trap, C.I. soil and vent pipe upto the out side face of wall including 100 mm. dia. C.I. plug, bend, 15mm. thick 10 litre PVC flushing cistern with all necessary pipe connection etc. complete. 9 Providing water proof bedding for flooring of Bath and WC 25 mm thick in C.M. 1:3 including using approved water proofing compound in specified proportion as per manufacturers specifications for per bag of cement including leveling, curing and covering 10 years guarantee on court fee stamp paper of Rs.500/- including ponding test etc. complete. 10 Providing waterproof plaster in W.C. and bath 20 mm thick for dado in cement mortar 1:3 with neat finishing, floating using waterproofing compound at the rate of 1 kg. per bag of cement of approved make and manufacturer and curing (and filling joints of Nahani trap and any outlet by properly) etc. complete. 11 Providing and fixing machine cut mirror polished 18 mm to 20 mm thick telephone black / Amba White / Cat bary brown / RBI red / Ocean Brown granite stone partition with rounding the edges etc. complete. One side polish 12 Providing and laying ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required	16			
earthenware 625 x 450 mm. w.c. pan including trap, C.I. soil and vent pipe upto the out side face of wall including 100 mm. dia. C.I. plug, bend, 15mm. thick 10 litre PVC flushing cistern with all necessary pipe connection etc. complete. 9 Providing water proof bedding for flooring of Bath and WC 25 mm thick in C.M. 1:3 including using approved water proofing compound in specified proportion as per manufacturers specifications for per bag of cement including leveling, curing and covering 10 years guarantee on court fee stamp paper of Rs.500/- including ponding test etc. complete. 10 Providing waterproof plaster in W.C. and bath 20 mm thick for dado in cement mortar 1:3 with neat finishing, floating using waterproofing compound at the rate of 1 kg. per bag of cement of approved make and manufacturer and curing (and filling joints of Nahani trap and any outlet by properly) etc. complete. 11 Providing and fixing machine cut mirror polished 18 mm to 20 mm thick telephone black / Amba White / Cat bary brown / RBI red / Ocean Brown granite stone partition with rounding the edges etc. complete. One side polish 12 Providing and laying ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required	41.00	Cum.	special in the second s	To. The Region Williams Sub: Palical Ladies P.C.C. V
including 100 mm. dia. C.I. plug, bend, 15mm. thick 10 litre PVC flushing cistern with all necessary pipe connection etc. complete. 9 Providing water proof bedding for flooring of Bath and WC 25 mm thick in C.M. 1:3 including using approved water proofing compound in specified proportion as per manufacturers specifications for per bag of cement including leveling, curing and covering 10 years guarantee on court fee stamp paper of Rs.500/- including ponding test etc. complete. 10 Providing waterproof plaster in W.C. and bath 20 mm thick for dado in cement mortar 1:3 with neat finishing, floating using waterproofing compound at the rate of 1 kg. per bag of cement of approved make and manufacturer and curing (and filling joints of Nahani trap and any outlet by properly) etc. complete. 11 Providing and fixing machine cut mirror polished 18 mm to 20 mm thick telephone black / Amba White / Cat bary brown / RBI red / Ocean Brown granite stone partition with rounding the edges etc. complete. One side polish 12 Providing and laying ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required	3.00	No.	3 4 (3)	tenetti.W
9 Providing water proof bedding for flooring of Bath and WC 25 mm thick in C.M. 1:3 including using approved water proofing compound in specified proportion as per manufacturers specifications for per bag of cement including leveling, curing and covering 10 years guarantee on court fee stamp paper of Rs.500/- including ponding test etc. complete. 10 Providing waterproof plaster in W.C. and bath 20 mm thick for dado in cement mortar 1:3 with neat finishing, floating using waterproofing compound at the rate of 1 kg. per bag of cement of approved make and manufacturer and curing (and filling joints of Nahani trap and any outlet by properly) etc. complete. 11 Providing and fixing machine cut mirror polished 18 mm to 20 mm thick telephone black / Amba White / Cat bary brown / RBI red / Ocean Brown granite stone partition with rounding the edges etc. complete. One side polish 12 Providing and laying ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required	nongra	97	i	1 . 18 1041
10 Providing waterproof plaster in W.C. and bath 20 mm thick for dado in cement mortar 1:3 with neat finishing, floating using waterproofing compound at the rate of 1 kg. per bag of cement of approved make and manufacturer and curing (and filling joints of Nahani trap and any outlet by properly) etc. complete. 11 Providing and fixing machine cut mirror polished 18 mm to 20 mm thick telephone black / Amba White / Cat bary brown / RBI red / Ocean Brown granite stone partition with rounding the edges etc. complete. One side polish 12 Providing and laying ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required	6.00	Sqm.	and	
11 Providing and fixing machine cut mirror polished 18 mm to 20 mm thick telephone black / Amba White / Cat bary brown / RBI red / Ocean Brown granite stone partition with rounding the edges etc. complete. One side polish 12 Providing and laying ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required	45.00	Sqm.	antivorie de gelete gozofa e i poleom agni sam one rom	8 E
Providing and laying ceramic tiles of having size 45 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required	5.00	Sqm	d solver solver of solver of the sold of	E 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
position laid on a bed of 1:4 cement mortar including cement float, filling joint with white/colour cement slurry cleaning curing etc. complete. 13 Providing and laying ceramic tiles having size 30 17	45.00 17.00	Sqm.	Parametria Parametria	

1, Nathibai Thackersey Road,

Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग

मुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

	cm. x 45 cm. confirming to corresponding I.S. for dado and skirting in required position with readymade adhesive mortar of approved quality on plaster of 1:2 cement mortar including joint filling with white/ colour cement slurry cleaning curing etc. complete.	to plaste beyon so base co base co base co base company was base con base con base che base che base che con contracte con contracte con	and second secon	contain us	
14	Providing and fixing coloured glazed earthenware Wash Hand Basin of 55cm x 40 cm size including cold water pillar tap/cold and hot water pillar tap brackets, rubber plugs and brass chain, stop tap and necessary pipe connection including P.V.C. waste pipe and trap up to the outside face of the wall. Making good the damaged surface, testing etc. complete.	2.00	No.	bugh to re the rhick to the taking a seffering a lith tive re seel angle windon e	22
15	Providing and Fixing 32 mm thick One piece single moulded puff ABSTRONE BUTADYNE STYRINE (ABS) Door shutter for internal use including toilets made up of outer ABS sheet of 1.2 mm thick having puff insulation of 35 to 40 Kg/Cum.density and 10 mm dia.for steel bars 2 Nos., wooden block to receive fixtures, having M.S. hinges 100 mm length, M.S. handles 150 mm length and 10 mm dia sliding door bolt etc. complete	6.00	Sqm	A sell sells Executed Execute Execut	
16	Providing and constructing Brick Masonry inspection trap Chamber 90cm x 45cm including 1:4:8 C.C foundation, 1:2:4 C.C.channels/half round glazed stoneware pipe channel, salt glazed stoneware intercepting trap with rodding pipe set in 1:4:8 cement concrete block, brick masonry plastering inside and Outside, fixed in cement concrete with R.C.C. Cover medium duty 140 kg. etc complete	2.00	No.	the convergence of the convergen	33.
17	Providing and laying concrete pipes of I.S.NP. class of 150mm diameter in proper line, level and slope including necessary collars, excavation, laying, fixing with collars in cement mortar 1:1 and refilling the trench complete.	50.00	Rmt.	ar din used saspong sand cope sind cope	92
18	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in foundations and plinth of inner walls/ in plinth external walls including bailing out water manually, striking joints on unexposed faces, raking out joints on exposed faces and watering etc. Complete.	14.00	Cum.	sanolang quoldings on plester repare at nake etc.r eroviding a	27
19	Filling in plinth and floors with contractors material/brought from outside and approved by Engineer incharge in layers of 15 cm to 20 cm including watering and compaction etc. complete.	32.00	Cum.	e seding prince by their tores es comple	
20	Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15 cm to 20 cm thick including hand packing and compacting etc. complete.	30.00	Cum.	jailavan iz tadica izotop	1 62

1, Nathibai Thackersey Road,

Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग

सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

21	Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete.	165.00	Sqm.	u s 45 d adoc and taster os a do tours complet subtance ald sector	
22	Providing and erecting 1.2 meter high wire fencing with five rows of barbed wire supported on mild steel angle (50 x 50x 6mm) post at 2.5 m c/c including excavation of pits of foundation concrete fixing the posts in (1:4:8) cement concrete block of 45x45x45 cm and fastening the Wires and painting the angles with one coat with red lead primer and two coats of oil painting etc.complete	70.00	Rmt.	ne are to	
23	Providing and fixing C.P. BIB cock with wall flange jaquar or equivalent make continental (CAT.NO. CON-047) including necessary sockets/ union nut etc. complete.	3.00	No.	Talment No socials an division of slight 12	
24	Providing and fixing on walls/ ceiling/ floor 15 mm dia. CPVC pipe with necessary fittings, remaking good the demolished portion etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete.	8.00	Rmt.	mated as a control of the control of	
25	Providing and fixing on wall/ ceiling/ floor 25 mm dia. CPVC pipe necessary fitting, remaking good the demolished portion etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete	20.00	Rmt.	4.5 cent averang accrete on malete working a	
26	Scrapping the old plastered internal surface with sand paper and coating the entire surface with mixture of whiting or glue and linseed oil including scaffolding etc. complete as directed	63.00	Rmt	cinding dilw gaith althoughte conding	0 0 0 0 0 0 0 0 0 0
27	Providing and applying Two coat of wall care Putty on plastered surface and ceiling and walls to prepare surface even and smooth of approved make, etc. complete.	63.00	Sqm.	on ention formulation formal was	
28	Providing and applying priming coat on concrete/masonary/ Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and sand papering as required etc. complete.	63.00	Sqm	exposed in the property of the	
29	Providing and applying two coats of exterior weather shield paint of approved manufacture and of approved colour to the plastered surfaces	42.00	Sqm	r gilllave nore steel alfoot ho	F1

1, Nathibai Thackersey Road, Mumbai 400 020

Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

9, नाथीबाई ठाकरसी मार्ग मुंबई ४०० ०२०

Telegram: UNIWOMEN Website: sndt.ac.in

	including cleaning ,preparing the plaster surface ,applying primer coat ,scaffolding if necessary, and watering the surface for two days etc complete.				
30	Providing, laying and fixing P.V.C. pipe of 75mm dia. with fittings such as bends, tees, reducers, clamps, etc. including necessary excavation, trench filling etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete.	12.00	Rmt.		
	Total			,	-

All the terms and conditions given in notifications are studied thoroughly and accepted fully.

Thanking you,

Yours Faithfully,

Name of Company

Signature of the Proprietor

Date:

Note: Enclose GST number, PAN number, declaration if GST is not applicable.

your events a demonstration of the

Light to a Statement Court

er ange



Complete The second of the sec

All the terms and conditions oven in notifications are studied incroughly and accorded folly.

Dow unstreet

when the family

windered to negative

Sugnature of the Proprietor

5180

pickersions for at 12011, cell custoeld manner, 100 padmin. 120 caching tarted