SNDT Women's University 1, Nathibai Thackersey Road, Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग सुंबई ४०० ०२० Telegram: UNIVVOMEN Website: sndt.ac.in

Estate Dept./2022-23/170

19 July, 2022

SUB: Quotation for Repair to underground main storage water tank at S.N.D.T. Women's University, Pune Campus.

Madam/Sir,

Sealed Quotations are invited for Repair to underground main storage water tank at S.N.D.T. Women's University, Pune Campus. Interested authorized vendors are supposed to submit their quote along with their detail profile in the format given in "Annexure A" on their company letter head. Quotation should be submitted to the office of "The Registrar" at Churchgate campus on or before 30th July 2022. Contractor should submit their quotes in **two envelopes** enclosed in single envelope along with Technical bid envelope. Subject should be mentioned on each envelop.

Envelop may contains following documents in respective envelop:

a) Technical Bid

- i. Profile of the vendor
- ii. Work Experience Certificate from the concerned the organization where work has been executed.
- iii. GST Certificate
- iv. PAN Copy
- v. If GST is not applicable then declaration of the same.
- vi. If GST is applicable, then No Dues Certificate authorized by a Chartered Accountant

b) Financial Bid

- i. Mentioning including all taxes
- ii. If required work is mentioned component wise then the amount is to be given component wise in the prescribed format.

Quotation should be submitted in closed envelop and on top write the subject. As mentioned in the notification

The University reserves the right to reject any or all quotations without assigning any reasons thereof.

Regards,

(Dr. Vandana Sharma) Registrar (Addl.Charge)

(Offer should filled on letter head)

Annexure A

To, The Registrar SNDT Women's University, Churchgate, Mumbai

Sub: Quotation for Repair to underground main storage water tank at S.N.D.T. Women's University, Pune Campus.

Respected Madam/Sir,

With reference to subject cited above we would like to furnish our quote with best rate possible as below:

<u>Sr.</u> <u>No.</u>	Description of Item	Qty	<u>Unit</u>	Rate	<u>Amount</u>
1	Removing the existing cement plaster of any thickness without causing dust nuisance and stacking the debris upto a distance of 50 metres or spreading in the compound and cleaning the site etc. complete. Note : Following items to be executed after prior approval of Superintending Engineer.	372.00	Sqm.	ad-MC and ta followe ner coal c 13 two to raal food ak in to 18 hrs. cc	Kg Polyd the surfa apply gn Polydee- Mubach vater ta aninimun
2	Providing waterproof plaster in W.C. and bath 20 mm thick for dado in cement mortar 1:3 with neat finishing, floating using waterproofing compound at the rate of 1 kg. per bag of cement of approved make and manufacturer and curing (and filling joints of Nahani trap and any outlet by properly) etc. complete.	372.00	Sqm.	as Applic	Net Tota Add 557 Total he terms an
3	Providing and laying Cast in situ/Ready mix cement concrete in M15 of trap/ granite/quartzite/gneiss metal for steps including steel centering, formwork, laying/ pumping, compacting ,roughening them if special finish is to be provide, finishing uneven and honeycombed surface and curing etc. complete. The Cement Mortar 1:3 plaster is considerd for rendering uneven and honeycombed surface, only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed,) with fully automatic micro processor based PLC with SCADA enable reversible Drum Type mixture/concrete Batch mix plant (Pan mixture) etc. complete. With fine aggregate(Crushed sand VSi Grade)	10.000	Cum.	ay Propries	niche You, ins Fachfulb (e of Compe aiture of the er EncloserC

4	Providing fine cement finish 1.5 mm thick over green plaster surface including scaffolding curing etc. complete.	304.00	Sqm.		
5	Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete.	72.00	Sqm.	University noui for Rega am/Sir, o subject	Registrar I Women's ringste Mer Campus pected Mae reference
6	Providing and applying a base coat comprising of 1 Kg Polydee-MC and 1 Kg fresh cement after wetting the surface followed by drying the surface for 2 days, apply primer coat of TP-40 and after drying, applying Polydee-11 two component (mixing ratio 2 A : 1 B)) Antibacterial food grade coating inside drinking water tank in two coats with time interval of minimum 8 hrs. covering 7 years guarantee on Court Fee Stamp Paper of Rs. 100/- etc. complete.	238.00	Sqm.	the en writiou he debre i in the co blawing of Superta	Humovin hitiotes stacking spredin complete hote F approval
	Net Total	nation 3	in cente	tor dade	oin thic
	Add GST as Applicable	galionana 16 Joi Stisat		e gennader 19 gen sol 13	naisnong. Tais rate i
	Total Total	ft bas) g	this beh	neintrich	anit man

All the terms and conditions given in notifications are studied thoroughly and accepted fully.

Thanking You,

Yours Faithfully,

Name of Company

Signature of the Proprietor

Date:

Note: Enclose GST number, PAN number, declaration if GST is not applicable.