Estate Dept./2022-23/152



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई टाकरसी मार्ग सुंबई ४०० ०२० Telegram: UNIVVOMEN Website: sndt.ac.in

July 01, 2022

## SUB: Quotation for Repairing and Renovation work of Union office and watchman room at SNDT Women's University Pune Campus.

#### Madam/Sir,

Sealed Quotations are invited for Repairing and Renovation work of Union office and watchman room at SNDT Women's University Pune Campus. Interested authorized vendors are supposed to submit their quote along with their detail profile in the format given in "Annexure A" on their company letter head. Quotation should be submitted to the office of "The Registrar" at Churchgate campus on or before **18**" July **2022** Contractor should submit their quotes in **two envelopes** enclosed in single envelope along with Technical bid envelope, financial bid envelope. Subject should be mentioned on each envelop. Envelop may contains following documents in respective envelop:

# a) Technical Bid

- i. Profile of the vendor
- ii. Work Experience Certificate from the concerned the organization where work has been executed.
- iii. GST Certificate
- iv. PAN Copy
- v. If GST is not applicable then declaration of the same.
- vi. If GST is applicable, then No Dues Certificate authorized by a Chartered Accountant
- b. b) Financial Bid
  - i. Mentioning including all taxes
  - ii. If required work is mentioned component wise then the amount is to be given component wise in the prescribed format.

Quotation should be submitted in closed envelop and on top write the subject. As mentioned in the notification

The University reserves the right to reject any or all quotations without assigning any reasons thereof.

Regards,

(Dr. Vandana Sharma)

(Dr. Vandana Sharma ) Registrar (Addl.Charge)



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग सुंबई ४०० ०२० Telegram: UNIVVOMEN Website: sndt.ac.in

# (Offer should filled on letter head)

**Annexure** A

To, The Registrar SNDT Women's University, Churchgate, Mumbai

Sub: Quotation for Repairing and Renovation work of Union office and watchman room at SNDT Women's University Pune Campus.

# **Respected Madam/Sir,**

With reference to subject cited above we would like to furnish our quote with best rate possible as below:

Sr.	Description of Item	Qty	<u>Unit</u>	Rate	<u>Amount</u>
<u>No.</u> 1	Removing the existing cement plaster of any thickness without causing dust nuisance and stacking the debris upto a distance of 50 metres or spreading in the compound and cleaning the site etc. complete. Note : Following items to be executed after prior approval of Superintending Engineer.	210.00	Sqm	tin atmen tis, brick tig and cur timera 1 malajia	two coat to concr scatfoldi positioni complet
2	Removing lime or lean cement concrete including stacking the spoils as directed with all leads, lifts etc, complete.	12.00	Sqm.	r and la re 590 m fhickness	nilanen 9 gabeari 10 aan
3	Removing cement tiles, or marble or polished shahabad floor or dado without bed concrete including stacking the materials as directed with all leads, lifts etc. complete	48.00	Sqm.	Hoper di Hoper di 10 screte 2 Ens gen	froning temore press. or
4	Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/ granite/ quartzite/ gneiss metal for steps including steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing etc. complete.The cement motar 1:3 plaster is considered for rendering uneven and honeycombed surface, only. Newly laid	9.00	Cum.	lastomen bi terrac er applica riace (la application and app sent app	flexible i surdee surdee f.C.C. af dean so dean so gas/rep

SNDT Women's University

1, Nathibai Thackersey Road, Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग सुंबई ४०० ०२० Telegram: UNIVVOMEN Website: sndt.ac.in

	concrete shall be covered by gunny bag, plastic, tarpaulin etc.(Wooden centering will not be allowed). With fully automatic micro processor based PLC based with SCADA enabled reversible Drum Type mixer/concrete Batch mix(Pan mixer) etc.complete.With fin aggregate (Crushed sand VSI Grade)	offa 15H0			λ.
5	Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound	anvon a	-	Goiversin nbai for Rapp	Begistrar T Women's Felgata, Min Oriotation
	at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete.	105.00	Sqm.	tistty Pur lam/Stry to sobject	nigU a'neo nim botosq annerster d
6	Providing internal cement plaster 20mm. thick in two coats in cement mortar 1:3 without neeru finish, to concrete, brick surface, in all positions including scaffolding and curing etc. complete.	105.00	Sqm.	the without the second	Removia Ontoknes stadne spiradne
7	Providing neeru finish to plastered surfaces in all positions including scaffolding and curing etc. complete.	105.00	Sqm.	sciencile Despais	Nako Note Nototopa
8	Providing and laying vitrified matt fininsh tiles having size 590 mm to 605 mm x to 605 mm of 8 to 10 mm thickness and confirming IS. 15622-2006 (Group Bla) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement morar including neat cement float, filling joints, curing and cleaning etc. complete. a) Flooring	48.00	Sqm.	time of the spate former former startiong	Reacting stables complets Reacting stables stables stables fill control to topoing to
9	Providing and laying jointless Polydee-LM, a highly flexible elastometric coating for RCC / cementitious surface for terrace waterproofing on B.B. Coba / R.C.C, after application of TP-42 Primer on perfectly clean surface (free from loose dust and foreign matter) application of 1st coat of Polydee-LM @ 700 gms/sqm and applying 2nd coat of Polydee-LM @ 700 gms/sqm and finishing the same with sprinkling	61.00	Sqm.	inoi bas Bi-M-ED Bi-M-	Providin concrete concrete concel concel concerco



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

	****					
	the AG-10 granules on the wet coating. (After finishing covering the treatment with 25mm cement plaster for protection with fibrillated 6mm Plyplast fibre @ 125 gms/sqm to be paid in separate item.) covering 7 years guarantee on Court Fee Stamp Paper of Rs. 100/- etc. complete.	outrus 1	damage sole	sood the	Making complete Net Fots Add GST	
10	Lowering down the debris obtained from breaking and removing the cement plaster/burnt brick masonary of the first floor by any means without causing dust nuisance and damage to structure, stacking the same as and where directed including cleanig the site complete.	16.00	Cum.	d conditio	al es he terms an nking You. rs Faithfully	(11) 641 140
11	Repairs to doors and windows work etc.comlete	12.00	No.		ië of Compa	is!
12	Providing and applying Royale Luxury Emulsion of approved make on internal wall surface as detailed below Scrapping for surface with emery paper andwipe clean for area. Applying Asian/ Berger/Nerolac/ Dulux Paints or equivalent wall primer with brush by adding mineral turpentine oil by 8 to 10% or water by 15 to 20 % allowing to dry for 6 to8 hour After applying Asian/ Berger/Nerolac/ Dulux Paints or equivalent acrylic wall putty with appropriate proportion of water of allow to dry for period of 4 to 6 hours of activity. Scrapping with emery paper and wipe clean Applying paints Royal Luxury emulsion 1st coat with brush water content water 40 to 45% or 65 to 70% by role Applying paints Royal luxury emulsion 2nd coat with brush with water content 40 to 45% or 65 to 70% by roller.(with prior approval of S.E.)	105.00	Sqm.	Populet	ature of the	
13	Providing and applying two coats of exterior acraylic emulsion paint confirming to corresponding I.S. of approved manufacture and of approved colour to the plastered surfaces including cleaning ,preparing the plaster surface, applying primer coat ,scaffolding if necessary , and watering the surface for two days etc complete.	185.00	Sqm.			
14	Providing and fixing coloured glazed earthenware Wash Hand Basin of 55cm x 40 cm size including cold water pillar tap/cold and hot water pillar tap brackets, rubber plugs and brass chain, stop tap and necessary pipe connection including P.V.C. waste pipe and trap up to the outside face of the wall.	1.00	No.			



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग सुंबई ४०० ०२० Telegram: UNIVVOMEN Website: sndt.ac.in

Making good the damaged surface, testing etc. complete.	a tew e Altwite	es on ti he troata	uneng ü geboven	die AG- fraisme
Net Total	e at hate	ed of mp	25 gms/s	1 B and f
Add GST as Applicable				
Total				

All the terms and conditions given in notifications are studied thoroughly and accepted fully.

Thanking You,

Yours Faithfully,

Name of Company

Signature of the Proprietor

Date:

Note: Enclose GST number, PAN number, declaration if GST is not applicable.