#### **SNDT Women's University**

1, Nathibai Thackersey Road, Mumbai 400 020

Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग

सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

Estate Dept./2022-23/57

May 04, 2022

SUB: Quotation for Repairing work of Ladies toilet & staircase area at 8th floor in annex bldg. & dismantling existing toilet at 7th floor in patkar hall bldg. S.N.D.T. Women's University, Churchgate Campus.

### Madam/Sir,

Sealed Quotation are invited for Proposal for Repairing work of Ladies toilet & staircase area at 8th floor in annex bldg. & dismantling existing toilet at 7th floor in patkar hall bldg. S.N.D.T. Women's University, Churchgate Campus. Interested authorized vendors are supposed to submit their quote along with their detail profile in the format given in "Annexure A" on their company letter head. Quotation should be submitted to the office of "The Registrar" at Churchgate campus on or before 12th May 2022 Contractor should submit their quotes in **two envelopes** enclosed in single envelope along with Technical bid envelope, financial bid envelope. Subject should be mentioned on each envelop.

Envelop may contains following documents in respective envelop:

# a) Technical Bid

- i. Profile of the vendor
- ii. Work Experience Certificate (not only the client list)
- iii. Registration Certificate
- iv. GST Certificate
- v. PAN Copy
- vi. If GST is not applicable then declaration of the same.
- vii. If any work which requires specific expertise/ technical specifications then the same should be mentioned.
- viii. Audited Financial Statements for last three years .(Income Tax)

#### b. b) Financial Bid

- i. Mentioning including all taxes
- ii. If required component wise then format to be given component wise
- iii. Terms and condition of contract.

Quotation should be submitted in closed envelop and on top write the subject. As mentioned in the notification

The University reserves the right to reject any or all quotations without assigning any reasons thereof.

Regards,

(Dr. Vandana Sharma ) Registrar (Addl.Charge)

Alvinold

# (Offer should filled on letter head)

# Annexure A

To,

The Registrar SNDT Women's University, Churchgate, Mumbai

Sub: Quotation for Repairing work of Ladies toilet & staircase area at 8th floor in annex bldg. & dismantling existing toilet at 7th floor in patkar hall bldg. S.N.D.T. Women's University, Churchgate Campus

Respected Madam/Sir,

With reference to subject cited above we would like to furnish our quote with best rate possible as below:

<u>Sr.</u> <u>No.</u>	<u>Description of Item</u>	Qty	<u>Unit</u>	<u>Rate</u>	Amount
01 .	Removing doors and windows with frames and stacking the materials as directed with all leads, lifts etc. complete.	19.00	No.		
02	Providing and fixing in position extruded aluminium door with fully aluminium composite panel having frame made out fo extruded tubular ection of size 50 mm x 25 mm with 4 mm thick with aluminium composite panel fixed with P.V.C. cushioning beading as per approved drawing etc. complete.	1.75	Smt.		
03	Providing and laying telephone black / Amba White / Cadburybrown / Ruby red / Ocean Brown granite stone of 18 to 20 mm thick for door frame/ dado/ window boxing etc. On C.M. 1:6 including filling joints with polymer base filler nosing the sharp edges wherever necessary, curing, etc. complete.	4.50	Sqm.		
04	Removing and refixing existing alluminium door (3 Nos) with all necessary fittings ect.complete.	1.00	A.U.		A Principal
05	Providing and fixing European type white glazed earthenware water closet pan with UPVC seat and lid with chromium plated brass hinges and rubber buffers including UPVC and vent pipe up to the outside face of wall 10 litre enameled low level flushing cistern with fittings pipe stop tap brackets for fixing cistern 32 mm dia. UPVC flush pipe with	2.00	No.		

	fittings and clamps ,20 mm dia.UPVC overflow pipe ,mosquito proof couplings G.I. chain and pulley,with water Jet and fitting including cutting and making good to the walls and floors testing etc. complete.(prior approval of sample and brand by Ex. Engineer is necessary before use)			
06	Removing cement tiles, or marble or polished shahabad floor or dado without bed concrete including stacking the materials as directed with all leads, lifts etc. complete	71.00	Sqm	
07	Providing water proof bedding for flooring of Bath and WC 25 mm thick in C.M. 1:3 including using approved water proofing compound in specified proportion as per manufacturers specifications for per bag of cement including leveling, curing and covering 10 years guarantee on court fee stamp paper of Rs.500/- including ponding test etc. complete.	5.00	Smt	
08	Providing and laying ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required position laid on a bed of 1:4 cement mortar including cement float, filling joint with white/colour cement slurry cleaning curing etc. complete.	2.00	Sqm	
09	Providing and laying ceramic tiles having size 30 cm. x 45 cm. confirming to corresponding I.S. for dado and skirting in required position with readymade adhesive mortar of approved quality on plaster of 1:2 cement mortar including joint filling with white/ colour cement slurry cleaning curing etc. complete.	31.00	Sqm	
10	Providing and fixing on walls/ ceiling/ floor 15 mm dia. CPVC pipe with necessary fittings, remaking good the demolished portion etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete.	12.00	Rmt	
11	Providing and fixing 450mm x 550mm size superior type Belgium mirror with 16mm dia. nickel plated towel rod etc. complete.	2.00	No.	

12	Providing and fixing screw down 15 mm dia. wheeled stop tap of brass including necessary sockets/union nut complete	5.00	No.	
13	Providing and fixing 15 mm diameter PVC Aqua kraft type Supreme make or equivalent make super wall sink type tap with flange including all accessories etc complete.	3.00	No.	
14	Providing and fixing 15 mm diameter PVC Aqua kraft type of approved make super pillar tap with flange including all accessories etc complete.	2.00	No.	
15	Providing and fixing 15 cm rigid PVC Nahani trap including PVC grating ,bend,connectingpiece of UPVC pipe up to the outside face of wall ,making the good damaged surface and testing etc. complete ( Prior approval of sample and brand by Ex. Engr. is necessary before use)	3.00	No.	
16	Providing, laying and fixing P.V.C. pipe of 75mm dia. with fittings such as bends, tees, reducers, clamps, etc. including necessary excavation, trench filling etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete.	5.00	Rmt	
17	Scrapping the old plastered internal surface with sand paper and coating the entire surface with mixture of whiting or glue and linseed oil including scaffolding etc. complete as directed	78.00	Sqm	
18	Providing and applying Two coats of wall care Putty of 2mm thickness for plastered surface and 5-6mm thickness finished concrete surface to Ceiling and Walls to prepare surface even and smooth of Brands BIRLA WHITE, BERGER, BISION, J.K., make, etc complete. a) For plastered walls/ceiling 2mm	78.00	Sqm	
19	Providing and applying priming coat on concrete/masonary/ Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and sand papering as required	78.00	Sqm	

	etc. complete.				
20	Providing and applying plastic emulsion paint of approved quality, colour and shade to new surface in three coats including scaffolding, preparing the surface. (excluding primer coat) etc. complete.	78.00	Sqm		
21	Breaking/ Chipping carefully the loose concrete / plaster of distressed member without damaging existing strong concrete by means of sharp chissle which should tempered regularly or high frequency low impact hammers used, cleaning the surface by water jet pressure pump at 4 to 5 kg/ sqcm pressure to remove chlorides and loose particles, air drying the surface etc. The work should be carried out with all the safety measures like helmet, safety belt and adequate labour insurance under the supervision of qualified supervisor. (The damaged area of member / concrete will be measured) etc complete.	5.00	Sqm		
22	Providing and applying Anticorrosive treatment to exposed reinforcement portion for Beam / Column with one coat of alkaline RUST CONVERTER feouert / Rusticide or equivalent on exposed reinforcement after cleaning the surface with wire brush, followed by two coats of anticorrosive epoxy based two component zinc rich primer MasterEmaco P 130 of BASF phenolic IPNET RB/POLYALK FLXOPRIME or equivalent rebar protection coating on exposed reinforcement and concrete penetrating corrosion inhibitor EPCO KP-100/POLYALK EP 113/ Master Seal 1414 of BASF/FOSROC or equivalent over adjoining concrete surfaced.	5.00	Sqm		
23	Providing and applying of bond coat approved epoxy resin MasterBrace 1414 of BASF / EPI Bond of Krishna Conchem/ or equivalent before polymer plaster/concrete to have the perfect bond between old concrete and new concrete/polymer plaster surface within half an hour of after application of bond coat conforming to ASTM C 881 Type 2, using nylon		Sqm		

	brushes scaffolding labour etc. complete.	n ar I-rad	Libea W	ilan (s. c.)	sa slake i	
24	Providing and applying Ready mix Polymer modified cement mortar of average thickness 15mm using Polymer in one or more layers in proportion 1:5:15 of Polymer Cement Quartz Sand as manufacturer"s specifications in specific layers, curing the surface after 72 hours of application with wet gunny bags etc complete.	5.00	Sqm			
25	Removing the existing cement plaster of any thickness without causing dust nuisance and stacking the debris upto a distance of 50 metres or spreading in the compound and cleaning the site etc.  Note: Following items to be executed after prior approval of Superintending Engineer.	102.00	Sqm			
26	Providing internal cement plaster 20mm. thick in two coats in cement mortar 1:3 without neeru finish, to concrete, brick surface, in all positions including scaffolding and curing etc. complete.	102.00	Sqm			
27	Lowering down the debris obtained from breaking and removing the cement plaster/ burnt brick masonry of the first floor by any means without causing dust nuisance and damage to structure, stracking the same as and where directed including cleaning site complete.	59.00	Cum			
28	Removing any kind of debris including loading in truck and conveying to dumping point approved by MCGM ,unloading, spreading etc. complete with all leads and lifts.	59.00	Cum			
.9	Removing urinal pans or wash hand basins with frame including disconnecting the sanitary and water supply connections, removing the same carefully and stacking the serviceable materials as and where directed including throwing the unserviceable materials outside etc complete	8.00	No.			
30	Removing W.C. pans including disconnecting the sanitary and water supply connections, removing and breaking flooring and bed con-crete around pan removing the same carefully and stacking the serviceable materials as adn where directed including throwing the unserviceable materiasls	10.00	No.			

	out side etc. carefully and throwing out the refusal outside etc. complete.		Trians	at n aj
31	Dismantling brick masonry in lime or cement mortar and stacking the materils as directed with all leads, lifts etc.	29.00	Cum	
32	Removing brick bat coba including stacking the spoils as directed with all leads, lifts etc, complete.	10.00	Cum	110
33	Providing and laying Polished Kota stone flooring With Hand-Cut Polished Kota Stones 25mm to 30mm thick and required width in plain/diamond pattern on bed of 1:6 Cement mortar including cement float, filling joints with neat cement slurry, curing, cleaning and Mirror Polishing etc. complete Note- Water absorption for <i>kota stone</i> should not exceed 0.05%.( Item to be used with prior permission of Superintending Engineer )	30.00	Sqm	
2	Net Total			
	Add GST as Applicable			
	Total			

All the terms and conditions given in notifications are studied thoroughly and accepted fully.

Thanking You,

Yours Faithfully,

Name of Company

Signature of the Proprietor

Date:

Note: Enclose GST number, PAN number, declaration if GST is not applicable